

	1. Product and Company Ident	ification	
Product Code:	531030		
Product Name: Company Name:	Allied Nutrients Nitroform (39-00-00) Regular Allied Nutrients	Phone Number:	
	50 Pearl Road STE 200 Brunswick, OH 44212	(888)220-0013	
Web site address:	www.alliednutrients.com		
Email address:	regulatory@alliednutrients.com		
Emergency Contact:	PERS	(800)633-8253	
Information:	Allied Nutrients	(330)220-0524	
Synonyms:	Granular Fertilizer		
	2. Hazards Identificatio	n	
Acute Toxicity: Oral, Catego	ory 4		
GHS Signal Word:	Warning		
GHS Hazard Phrases:	Harmful if swallowed.		
	Causes skin irritation. Causes serious eye irr	itation. May cause repiratory irritation.	
	May cause damage to respiratory system and exposure.	l lungs through prolonged or repeated	
GHS Precautionary Phrases	-		
	Wear protective gloves, protective clothing, and eye protection. Call a POISON CENTER or doctor/physician if you feel unwell.		
GHS Response Phrases:	If eye irritation persists, get medical advice/attention.		
	IF IN EYES: Rinse cautiously with water for s present and easy to do so. Continue rinsing.	several minutes. Remove contact lenses, if	
GHS Storage and Disposal	Store in a diked or contained area to prevent	uncontrolled release to the environment.	
Phrases:	Store in a closed container.		
	If material cannot be completely used accord and contents according to section 13.	ng to label directions, dispose of container	
Potential Health Effects	Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or		
(Acute and Chronic):	repeated exposure may cause permanent eye lung damage. Effects may be delayed.	e damage. Chronic exposure may cause	
Inhalation:	May be harmful if inhaled. Low hazard for nor	mal industrial handling. The toxicological	
	properties of this substance have not been ful effects. Material may be irritating to mucous n	ly investigated. May cause systemic	
Skin Contact:	May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual industrial handling.		
Eye Contact:	May cause eye irritation. Dust may cause me	chanical irritation.	
Ingestion:	May be harmful if swallowed. May cause gast and diarrhea. Low hazard for normal industria	I handling. The toxicological properties of	
	this substance have not been fully investigate	a. way cause systemic effects.	



3	 Composition/Info 	ormation on Ingredients			
CAS # Hazardous Com	ponents (Chemical Name)	Concentration			
9011-05-6 Urea, Polymer w	ith formaldehyde	99.0 - 100 %			
	4. First A	Aid Measures			
Emergency and First Aid Procedures:					
In Case of Inhalation:	-	nd move to fresh air immediately. If not breathing, give artificial difficult, give oxygen. Get medical aid.			
In Case of Skin Contact:	Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Wash off with soap and plenty of water.				
In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the up lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed					
In Case of Ingestion: Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call poison control center. If swallowed, do NOT induce vomiting unless directed to do so I medical personnel. Never give anything by mouth to an unconscious person.					
Signs and Symptoms Of Exposure:	To the best of our knowle not been thoroughly inves	dge, the chemical, physical, and toxicological properties have stigated.			
Note to Physician: Treat symptomatically and supportively.					
	5. Fire Figl	hting Measures			
Flash Pt:	No data.				
Explosive Limits:	LEL: No data.	UEL: No data.			
Autoignition Pt:	No data.				
Suitable Extinguishing Med	-	nemical, carbon dioxide, or water spray. For large fires, use dry alcohol-resistant foam, or water spray.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Runoff from fire control or dilution water may cause pollution.				
Flammable Properties and Hazards:					
Hazardous CombustionThermal decomposition may result in the production of ammonia, formaldehyde, biure chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavi metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other toxic and irritating fumes and gases.					



Page: 3 of 7 Printed: 09/21/2020 Revision: 09/21/2020

	6. Accidental Release Measures
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.
	Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
	Environmental precautions. Do not let product enter drains.
	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
	PROCEDURES & PERSONAL PRECAUTIONS. Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.
	Methods for cleaning up. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.
Precautions To Be Taken in Storing:	Provide appropriate exhaust ventilation at places where dust is formed. Store in a cool, dry place. Keep container closed when not in use.

8. Exposure Controls/Personal Protection				
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
9011-05-6	Urea, Polymer with formaldehyde	No data.	No data.	No data.

GHS format



NUTRIENTS					
Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are				
	desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.				
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.				
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.				
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.				
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.				
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.				
	9. Physical and Chemical Properties				
Physical States:	[]Gas []Liquid [X]Solid				
Appearance and Odor:	Multi-colored, granular solid.				
	Slight ammonia-like odor.				
pH:	No data.				
Melting Point:	~ 133 C				
Boiling Point:	No data.				
Flash Pt:	No data.				
Evaporation Rate:	No data.				
Flammability (solid, gas):	No data available.				
Explosive Limits:	LEL: No data. UEL: No data.				
Vapor Pressure (vs. Air or	No data.				
mm Hg):					
Vapor Density (vs. Air = 1):	No data.				
Specific Gravity (Water = 1):					
Density:	55.00000 LB/CF				
Bulk density:	~ 45 - 65 LB/CF ~ 1.070 C/L at _ 20.0 C				
Solubility in Water:	~ 1,079 G/L at 20.0 C The solubility cited is for the urea component of this product, if present. See section 3.				
Solubility Notes: Octanol/Water Partition	No data.				
Coefficient:					
Autoignition Pt:	No data.				
Decomposition Temperatures	- ~ 135 C				
Viscosity:	No data.				
Additional Physical	The melting point and decomposition temperatures cited are for the urea component of				
Information	this product, if present. See section 3.				
	Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No: 57-13-6)				



	10. Stability and I	Reactivity			
Stability:	Unstable [] Stable [X]				
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.				
Incompatibility - Materials To Avoid:	o Strong oxidizing agents, bases, acids, aluminum.				
Hazardous Decomposition o Byproducts:	r The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.				
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]				
Conditions To Avoid - Hazardous Reactions:	No data available.				
	11. Toxicological l	nformatio	า		
Toxicological Information:	Epidemiology: No information found. Teratogenicity: Teratogenic effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exposure.				
Carcinogenicity/Other Information:	This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).				
CAS # Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
9011-05-6 Urea, Polymer w	th formaldehyde	n.a.	n.a.	n.a.	n.a.
	12. Ecological Inf	ormation			
General Ecological Information:	Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.			(half-life of 9.6 e activity (the owever, a	
	Do not empty into drains.				
	Urea will dissolve and disperse in water, and will promote algae growth which may degrade water quality and taste. Notify downstream water users of any release that may affect water quality.				
Persistence and Degradability:	No data available.				
Bioaccumulative Potential:	No data available.				
Mobility in Soil:	No data available.				
					GHS format



		13. Disposa	l Considerat	ions	
Waste Dispo	osal Method:	If material cannot be com and contents according to		ding to label direction	ons, dispose of container
		Contact a licensed profes	sional waste dispo	osal service to dispo	ose of this material.
		Do not let product enter d	Irains.		
		Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.			
		RCRA P-Series: None lis RCRA U-Series: None lis			
		Observe all federal, state	, and local environ	mental regulations.	
		11 Transp	ort Informat	ion	
			ory Informat	tion	
EPA SARA (3 CAS #	-	ments and Reauthorization A mponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
9011-05-6		with formaldehyde	No	No	No
[] Yes [X] No [] Yes [X] No	Explosive Flammable (gases, Oxidizer (liquid, solid Self-reactive Pyrophoric (liquid or Pyrophoric gas Self-heating Organic peroxide Corrosive to metal Gas under pressure In contact with wate Combustible Dust	solid)	[X] Yes [] No A [] Yes [X] No S [] Yes [X] No S [] Yes [X] No F [] Yes [X] No G [] Yes [X] No G [] Yes [X] No S [] Yes [X] No A [] Yes [X] No A [] Yes [X] No S	Acute toxicity (any route of Skin Corrosion or Irritation Berious eye damage or ey Respiratory or Skin Sensit Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxic Aspiration Hazard Simple Asphyxiant	of exposure) n ye irritation
CAS #		mponents (Chemical Name)	Other US EPA	or State Lists	
9011-05-6	Urea, Polymer v	with formaldehyde	Inventory; CA	C: No; CWA NPDES: PROP.65: No; MA C J EHS: No; NY Part 5	Dil/HazMat: No; MI CMR,



