

Raw Material Blend (46-0-0)

1. Product and Company Identification				
Product Code: Product Name: Company Name: Web site address:	904397 ALLIED NUTRIENTS UFLEXX Manufacturi Allied Nutrients 50 Pearl Road STE 200 Brunswick, OH 44212 www.alliednutrients.com	ing Raw Material Blend (46-0-0) Phone Number: (888)220-0013		
Email address: Emergency Contact:	regulatory@alliednutrients.com PERS	(800)633-8253		
Information: Synonyms:	Allied Nutrients Granular Fertilizer	(330)220-0524		
	2. Hazards Identificati	on		
Acute Toxicity: Oral, Categor	y 4			
GHS Signal Word: GHS Hazard Phrases:	Warning Harmful if swallowed. Causes skin irritation. Causes serious eye May cause damage to respiratory system a exposure.			
GHS Precautionary Phrases:	 Avoid breathing dust. Wear protective gloves, protective clothing, and eye protection. Call a POISON CENTER or doctor/physician if you feel unwell. 			
GHS Response Phrases:	If eye irritation persists, get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.			
GHS Storage and Disposal Phrases:	 Store in a diked or contained area to prevent uncontrolled release to the environment. Store in a closed container. If material cannot be completely used according to label directions, dispose of container and contents according to section 13. 			
Potential Health Effects (Acute and Chronic):	Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated exposure may cause permanent eye damage. Chronic exposure may cause lung damage. Effects may be delayed.			
Inhalation:	May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.			
Skin Contact:	May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual industrial handling.			
Eye Contact:	May cause eye irritation. Dust may cause n	nechanical irritation.		
Ingestion:		astrointestinal irritation with nausea, vomiting rial handling. The toxicological properties of ated. May cause systemic effects.		

GHS format



SAFETY DATA SHEET ALLIED NUTRIENTS UFLEXX Manufacturing Raw Material Blend (46-0-0)

3. Composition/Information on Ingredients CAS # Hazardous Components (Chemical Name) Concentration 57-13-6 60.0 - 100 % Urea 461-58-5 Dicyandiamide 0.500 - 1.50 % 872-50-4 N-Methyl-2-pyrrolidone 0 - 0.100 % 4. First Aid Measures **Emergency and First Aid** Procedures: In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty In Case of Skin Contact: of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Wash off with soap and plenty of water. In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed. Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a In Case of Ingestion: poison control center. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Signs and Symptoms Of To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Exposure: Treat symptomatically and supportively. Note to Physician: 5. Fire Fighting Measures Flash Pt: No data. Explosive Limits: LEL: No data. UEL: No data. Autoignition Pt: No data. Suitable Extinguishing Media: For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions: MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Runoff from fire control or dilution water may cause pollution. Most of the components of this product are non-combustible. However, a portion of them Flammable Properties and Hazards: may support combustion at elevated temperatures. **Hazardous Combustion** Thermal decomposition may result in the production of ammonia, formaldehyde, biuret, Products: chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other toxic and irritating fumes and gases.

GHS format



Page: 3 of 7 Printed: 09/21/2020 Revision: 09/21/2020

Raw Material Blend (46-0-0)

	6. Accidental Release Measures
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.
	Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
	Environmental precautions. Do not let product enter drains.
	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
	PROCEDURES & PERSONAL PRECAUTIONS. Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.
	Methods for cleaning up. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.
	Provide appropriate exhaust ventilation at places where dust is formed.
Precautions To Be Taken in Storing:	Store in a cool, dry place. Keep container closed when not in use.
8	. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
57-13-6	Urea	No data.	No data.	No data.
461-58-5	Dicyandiamide	TWA: 5 mg/m3	CEIL: 5 mg/m3 (salts)	No data.
872-50-4	N-Methyl-2-pyrrolidone	No data.	No data.	No data.

GHS format



SAFETY DATA SHEET ALLIED NUTRIENTS UFLEXX Manufacturing Raw Material Blend (46-0-0)

pipratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 rements or European Standard EN 149 must be followed whenever workplace itions warrant respirator use. Where protection from nuisance levels of dusts are ed, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection ype OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. r appropriate protective eyeglasses or chemical safety goggles as described by A's eye and face protection regulations in 29 CFR 1910.133 or European Standard 56. r appropriate protective gloves to prevent skin exposure. Wash and dry hands. r appropriate protective clothing to prevent skin exposure. Choose body protection rding to the amount and concentration of the dangerous substance at the work e. ities storing or utilizing this material should be equipped with an eyewash facility and ety shower. Use adequate ventilation to keep airborne concentrations low. Use uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. dle in accordance with good industrial hygiene and safety practice. Wash hands re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties Bas [] Liquid [X] Solid
 ype OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. r appropriate protective eyeglasses or chemical safety goggles as described by A's eye and face protection regulations in 29 CFR 1910.133 or European Standard 56. r appropriate protective gloves to prevent skin exposure. Wash and dry hands. r appropriate protective clothing to prevent skin exposure. Choose body protection rding to the amount and concentration of the dangerous substance at the work e. ities storing or utilizing this material should be equipped with an eyewash facility and ety shower. Use adequate ventilation to keep airborne concentrations low. Use uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. the in accordance with good industrial hygiene and safety practice. Wash hands to breaks and at the end of workday. Wash thoroughly after handling.
r appropriate protective eyeglasses or chemical safety goggles as described by A's eye and face protection regulations in 29 CFR 1910.133 or European Standard 56. r appropriate protective gloves to prevent skin exposure. Wash and dry hands. r appropriate protective clothing to prevent skin exposure. Choose body protection rding to the amount and concentration of the dangerous substance at the work e. ities storing or utilizing this material should be equipped with an eyewash facility and ety shower. Use adequate ventilation to keep airborne concentrations low. Use uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. Ile in accordance with good industrial hygiene and safety practice. Wash hands re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties
r appropriate protective clothing to prevent skin exposure. Choose body protection rding to the amount and concentration of the dangerous substance at the work at ities storing or utilizing this material should be equipped with an eyewash facility and ety shower. Use adequate ventilation to keep airborne concentrations low. Use uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. Ite in accordance with good industrial hygiene and safety practice. Wash hands re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties
rding to the amount and concentration of the dangerous substance at the work ities storing or utilizing this material should be equipped with an eyewash facility and ety shower. Use adequate ventilation to keep airborne concentrations low. Use uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. Ile in accordance with good industrial hygiene and safety practice. Wash hands re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties
uate general or local exhaust ventilation to keep airborne concentrations below the issible exposure limits. Ile in accordance with good industrial hygiene and safety practice. Wash hands re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties
re breaks and at the end of workday. Wash thoroughly after handling. Physical and Chemical Properties
Physical and Chemical Properties
-colored, granular solid. t ammonia-like odor.
ata.
3 C
ata.
ata.
ata.
ata available.
No data. UEL: No data.
ata.
ata.
ata.
- 65 LB/CF
79 G/L at 20.0 C
solubility cited is for the urea component of this product, if present. See section 3. ata.
ata.
5 C
ata.
melting point and decomposition temperatures cited are for the urea component of



Raw Material Blend (46-0-0)

		10. Stability and	Reactivity			
Stability:		Unstable [] Stable [X]				
Conditions To Avoid - Instability:		Incompatible materials, dust ger	Incompatible materials, dust generation, heating to decomposition. High temperatures.			
Incompatibili Avoid:	ity - Materials T	o Strong oxidizing agents, bases,	acids, aluminum	۱.		
Hazardous D Byproducts:	Indous Decomposition orThe decomposition of fertilizer products may result in the generation of some oroducts:following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of a earth metals, and certain heavier metals used as nutrients in fertilizer products, so copper, iron, manganese, and zinc, and other irritating and toxic fumes and gase			ide, and oxides les of alkaline ducts, such as		
Possibility of	f Hazardous	Will occur [] Will not occur	[X]			
Reactions: Conditions T Hazardous R		No data available.				
		11. Toxicological	Informatio	n		
Toxicologica	I Information:	Epidemiology: No information found. Teratogenicity: Teratogenic effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exposure.				
Carcinogenio Information:	city/Other	This material may contain small The International Agency for Ca a carcinogen to humans (Group carcinogenicity to humans (Grou para-Aramid Fibrils in IARC Mor Humans", (Vol. 68).	ncer Research (1), and amorph up 3). See "Silic	IARC) has cl ous silica as a, Some Silic	lassified cryst not classifiab cates, Coal di	talline silica as ble as to its ust and
CAS #	Hazardous Co	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
57-13-6	Urea		n.a.	n.a.	n.a.	n.a.
461-58-5	Dicyandiamide		n.a.	n.a.	n.a.	n.a.
872-50-4	N-Methyl-2-pyrr	olidone	n.a.	n.a.	n.a.	n.a.
		12. Ecological I	nformation			
General Ecological Information:		Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.				
		Do not empty into drains.				
	Urea will dissolve and disperse in water, and will promote algae growth which ma degrade water quality and taste. Notify downstream water users of any release th affect water quality.			-		
Persistence and Degradability:		No data available.				
						GHS format



Raw Material Blend (46-0-0)

Bioaccumul	ative Potential:	No data available.		,	
Mobility in S	Soil:	No data available.			
		13. Disposal Considerations			
Waste Dispo	osal Method:	If material cannot be completely used according to label directions, dispose of container and contents according to this section.			
		Contact a licensed professional waste disposal service to dispose of this material.			
		Do not let product enter drains.			
		Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are liste in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.			determination are listed It state and local
		RCRA P-Series: None listed. RCRA U-Series: None listed.			
		Observe all federal, state, a	and local environ	mental regulations.	
		14. Transpo	ort Informati	on	
-	-	15. Regulato	t of 1986) Lists		6 242 (TPI)
CAS # 57-13-6	Hazardous Con Urea	nponents (Chemical Name)	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No
461-58-5	Dicyandiamide		No	No	Yes-Cat. N106
872-50-4	N-Methyl-2-pyrro	blidone	No	No	Yes
This materia	al meets the EPA	'Hazard Categories' define	ed for SARA Title	e III Sections 311/3	12 as indicated:
[]Yes [X] No				cute toxicity (any route of	
		erosols, liquid, or solid)		kin Corrosion or Irritation	· ······
[] Yes [X] No [] Yes [X] No		or gas)		erious eye damage or ey espiratory or Skin Sensiti	
[]Yes [X]No		solid)		erm cell mutagenicity	
[] Yes [X] No	• • •		[]Yes [X] No C	arcinogenicity	
[]Yes [X] No				eproductive toxicity	
[]Yes [X] No	Organic peroxide Corrosive to metal			pecific target organ toxici spiration Hazard	ty (single or repeated exposure
[] Yes [X] No		(compressed gas)		mple Asphyxiant	
[] Yes [X] No	In contact with water	emits flammable gas	[] Yes [X] No (H	lealth) Hazard Not Other	wise Classified (HNOC)
[]Yes [X] No		ot Otherwise Classified (HNOC)			
CAS #		nponents (Chemical Name)	Other US EPA	or State Lists	
57-13-6	Urea	nponente (onenitar Maine)		C: No; CWA NPDES:	No. TSCA: Ves-
57-15-0	Ulea		Inventory, 8A 0 MI CMR, Part	CAIR; CA PROP.65: N	No; MA Oil/HazMat: No; NY Part 597: No; PA HSL:
461-58-5	Dicyandiamide		No CAA HAP,OD(C: Yes - Cat.; CWA N	PDES: No; TSCA: Yes -



SAFETY DATA SHEET ALLIED NUTRIENTS UFLEXX Manufacturing Raw Material Blend (46-0-0)

		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,		
		Part 5: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA		
		HSL: No		
872-50-4	N-Methyl-2-pyrrolidone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -		
		Inventory, 6A; CA PROP.65: Yes: RDTox.; MA Oil/HazMat:		
		No; MI CMR, Part 5: No; NJ EHS: Yes - 3716; NY Part 597:		
		No; PA HSL: Yes - 1		
16 Other Information				

16. Other Information

Revision Date:	09/21/2020	
Hazard Rating System:		Flammability Health
		NFPA: V Special Hazard

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Allied Nutrients disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.