

Page: 1 of 7 Printed: 09/21/2020 Revision: 09/21/2020

Raw Material Blend (46-0-0)

1. Product and Company Identification					
Product Code: Product Name:	904402 ALLIED NUTRIENTS UMAXX Manufacturing F	Raw Material Blend (46-0-0)			
Company Name:	Allied Nutrients 50 Pearl Road STE 200 Brunswick, OH 44212	Phone Number: (888)220-0013			
Web site address:	www.alliednutrients.com				
Email address:	regulatory@alliednutrients.com	(000)000 0050			
Emergency Contact:	PERS	(800)633-8253			
Information:	Allied Nutrients	(330)220-0524			
Synonyms:	Granular Fertilizer				
	2. Hazards Identificatior	1			
Acute Toxicity: Oral, Categor	-				
GHS Signal Word:	Warning				
GHS Hazard Phrases:	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause repiratory irritation. May cause damage to respiratory system and lungs through prolonged or repeated exposure.				
GHS Precautionary Phrases:	Avoid breathing dust. Wear protective gloves, protective clothing, and eye protection. Call a POISON CENTER or doctor/physician if you feel unwell.				
GHS Response Phrases:	If eye irritation persists, get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.				
GHS Storage and Disposal Phrases:	Store in a diked or contained area to prevent uncontrolled release to the environment. Store in a closed container. If material cannot be completely used according to label directions, dispose of container and contents according to section 13.				
Potential Health Effects (Acute and Chronic):	Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated exposure may cause permanent eye damage. Chronic exposure may cause lung damage. Effects may be delayed.				
Inhalation:	May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.				
Skin Contact:	May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual industrial handling.				
Eye Contact:	May cause eye irritation. Dust may cause mechanical irritation.				
Ingestion:	May be harmful if swallowed. May cause gastr and diarrhea. Low hazard for normal industrial this substance have not been fully investigated	handling. The toxicological properties of			

GHS format



Page: 2 of 7 Printed: 09/21/2020 Revision: 09/21/2020

Raw Material Blend (46-0-0)

3. Composition/Information on Ingredients					
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration		
57-13-6	Urea		60.0 - 100 %		
461-58-5	Dicyandiamide		1.00 - 5.00 %		
872-50-4	N-Methyl-2-pyrrol	lidone	0 - 0.100 %		
		4. First A	id Measures		
Emergency	and First Aid				
Procedures:	:				
In Case of Inhalation: Remove from exposure and move to fresh air immediately. If no respiration. If breathing is difficult, give oxygen. Get medical aid					
of water. F		of water. Remove contami	develops or persists. In case of contact, flush skin with plenty nated clothing and shoes. Get medical aid if irritation develops g before reuse. Wash off with soap and plenty of water.		
In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the up lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed					
In Case of Ir	ngestion:	Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control center. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.			
Signs and S Exposure:	ymptoms Of	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.			
Note to Phys	sician:	Treat symptomatically and	supportively.		
		5. Fire Figh	ting Measures		
Flash Pt:		No data.			
Explosive Li	imits:	LEL: No data.	UEL: No data.		
Autoignition	n Pt:	No data.			
Suitable Ext	inguishing Medi		emical, carbon dioxide, or water spray. For large fires, use dry alcohol-resistant foam, or water spray.		
Fire Fighting	g Instructions:	MSHA/NIOSH (approved on noncombustible. Decompo	is in any fire, wear a self-contained breathing apparatus in pressure-demand, ISHA/NIOSH (approved or equivalent), and full protective gear. Substance is oncombustible. Decomposes at high temperatures, resulting in toxic and corrosive roducts. Runoff from fire control or dilution water may cause pollution.		
Flammable I Hazards:	Properties and	Most of the components of may support combustion a	f this product are non-combustible. However, a portion of them it elevated temperatures.		
Hazardous (	Combustion	Thermal decomposition may result in the production of ammonia, formaldehyde, biuret,			
Products:		potassium, sulfur, and chlo	cyanide, and oxides of carbon, nitrogen, phosphorus, prine, and oxides of alkaline earth metals, and certain heavier n fertilizer products, such as copper, iron, manganese, and ritating fumes and gases.		



Raw Material Blend (46-0-0)

	6. Accidental Release Measures
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.
	Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
	Environmental precautions. Do not let product enter drains.
	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
	PROCEDURES & PERSONAL PRECAUTIONS. Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.
	Methods for cleaning up. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.
Precautions To Be Taken in Storing:	Provide appropriate exhaust ventilation at places where dust is formed. Store in a cool, dry place. Keep container closed when not in use.
8	. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits		
57-13-6	Urea	No data.	No data.	No data.		
461-58-5	Dicyandiamide	TWA: 5 mg/m3	CEIL: 5 mg/m3 (salts)	No data.		
872-50-4	N-Methyl-2-pyrrolidone	No data.	No data.	No data.		

GHS format



#### SAFETY DATA SHEET ALLIED NUTRIENTS UMAXX Manufacturing Raw Material Blend (46-0-0)

NUTRIENTS	Raw Material Blend (46-0-0)			
Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.			
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.			
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.			
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.			
	9. Physical and Chemical Properties			
Physical States:	[]Gas []Liquid [X]Solid			
Appearance and Odor:	Multi-colored, granular solid. Slight ammonia-like odor.			
pH:	No data.			
Melting Point:	~ 133 C			
Boiling Point:	No data.			
Flash Pt:	No data.			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available.			
Explosive Limits:	LEL: No data. UEL: No data.			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1):	No data.			
Specific Gravity (Water = 1):				
Bulk density:	~ 45 - 65 LB/CF			
Solubility in Water:	~ 1,079 G/L at 20.0 C			
Solubility Notes:	The solubility cited is for the urea component of this product, if present. See section 3.			
Octanol/Water Partition Coefficient:	No data.			
Autoignition Pt:	No data.			
Decomposition Temperature				
Viscosity:	No data.			
Additional Physical Information	The melting point and decomposition temperatures cited are for the urea component of this product, if present. See section 3. Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No: 57-13-6)			



Raw Material Blend (46-0-0)

		10. Stability and	Reactivity	/		
Stability:		Unstable [ ] Stable [ X ]				
Conditions T Instability:	o Avoid -	Incompatible materials, dust generation, heating to decomposition. High temperature			emperatures.	
Incompatibili Avoid:	ity - Materials T	<b>o</b> Strong oxidizing agents, bases,	acids, aluminun	٦.		
Hazardous Decomposition orThe decomposition of fertilizer products may result in the generation of someByproducts:following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanid of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxide earth metals, and certain heavier metals used as nutrients in fertilizer product copper, iron, manganese, and zinc, and other irritating and toxic fumes and				ide, and oxides les of alkaline ducts, such as		
Possibility of Reactions:	f Hazardous	Will occur [ ] Will not occur	[X]			
Conditions To Avoid - No data available. Hazardous Reactions:						
		11. Toxicological	Informatio	on		
	Teratogenicity: Teratogenic effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exp					
Carcinogenio Information:	city/Other	This material may contain small The International Agency for Ca a carcinogen to humans (Group carcinogenicity to humans (Grou para-Aramid Fibrils in IARC Mor Humans", (Vol. 68).	ncer Research ( 1), and amorph ıp 3).  See "Silic	(IARC) has c ous silica as a, Some Silic	lassified cryst not classifiab cates, Coal d	talline silica as ble as to its ust and
CAS #	Hazardous Cor	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
57-13-6	Urea		n.a.	n.a.	n.a.	n.a.
461-58-5	Dicyandiamide		n.a.	n.a.	n.a.	n.a.
872-50-4	N-Methyl-2-pyrr	olidone	n.a.	n.a.	n.a.	n.a.
		12. Ecological I	nformation			
General Ecological Information:		Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.				
		Do not empty into drains.				
		Urea will dissolve and disperse i degrade water quality and taste. affect water quality.				•
Persistence a Degradability		No data available.				
						GHS forma



#### SAFETY DATA SHEET ALLIED NUTRIENTS UMAXX Manufacturing Raw Material Blend (46-0-0)

Pieceeumul	ative Potential:		ci lai Dichu (		
Mobility in S		No data available. No data available.			
wobinty in S	son.			1	
		13. Disposal			
Waste Dispo	osal Method:	If material cannot be completely used according to label directions, dispose of container and contents according to this section.			
		Contact a licensed profes	sional waste disp	oosal service to dispo	se of this material.
		Do not let product enter d	rains.		
		Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.			
		RCRA P-Series: None list RCRA U-Series: None list			
		Observe all federal, state	and local enviro	nmental regulations.	
		14. Transp	ort Informat	tion	
EPA SARA (§ CAS #	-	<b>15. Regulat</b> nents and Reauthorization A nponents (Chemical Name)			S. 313 (TRI)
57-13-6	Urea		No	No	No
461-58-5	Dicyandiamide		No	No	Yes-Cat. N106
872-50-4	N-Methyl-2-pyrro	lidone	No	No	Yes
] Yes [X] No   ] Yes [X] No	Explosive Flammable (gases, a Oxidizer (liquid, solid Self-reactive Pyrophoric (liquid or Pyrophoric gas Self-heating Organic peroxide Corrosive to metal Gas under pressure of In contact with water Combustible Dust	compressed gas)	[X] Yes [ ] No [ ] Yes [X] No	Acute toxicity (any route of Skin Corrosion or Irritation Serious eye damage or ey Respiratory or Skin Sensit Germ cell mutagenicity Carcinogenicity Reproductive toxicity	f exposure) e irritation ization ity (single or repeated exposur
CAS #	Hazardous Con	ponents (Chemical Name)	Other US EP	A or State Lists	
57-13-6	Urea		CAA HAP.OI	DC: No; CWA NPDES:	No; TSCA: Yes -
			Inventory, 8A		No; MA Oil/HazMat: No; NY Part 597: No; PA HSL:



Page: 7 of 7 Printed: 09/21/2020 Revision: 09/21/2020

Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory, 6A; CA PROP.65: Yes: RDTox.; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: Yes - 3716; NY Part 597: No; PA HSL: Yes - 1

#### **16. Other Information**

872-50-4

09/21/2020

Hazard Rating System:

Flammability Instability Health NFPA: Special Hazard

Additional Information About No data available.

N-Methyl-2-pyrrolidone

This Product:

Company Policy or Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Allied Nutrients disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.