

1. Product and Company Identification Product Code: 904651 Product Name: Allied Nutrients Manufacturing Raw Material Blend TTRU 120 (43-00-00) SGN150 **Company Name:** Allied Nutrients Phone Number: 50 Pearl Road (888)220-0013 **STE 200** Brunswick, OH 44212 Web site address: www.alliednutrients.com Email address: regulatory@alliednutrients.com **Emergency Contact:** PERS (800)633-8253 Information: Allied Nutrients (330)220-0524 Granular Fertilizer Synonyms: 2. Hazards Identification Acute Toxicity: Oral, Category 4 **GHS Signal Word:** Warning GHS Hazard Phrases: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause repiratory irritation. May cause damage to respiratory system and lungs through prolonged or repeated exposure. GHS Precautionary Phrases: Avoid breathing dust. Wear protective gloves, protective clothing, and eye protection. Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists, get medical advice/attention. **GHS Response Phrases:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Store in a diked or contained area to prevent uncontrolled release to the environment. GHS Storage and Disposal Phrases: Store in a closed container. If material cannot be completely used according to label directions, dispose of container and contents according to section 13. Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or Potential Health Effects repeated exposure may cause permanent eye damage. Chronic exposure may cause (Acute and Chronic): lung damage. Effects may be delayed. Inhalation: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract. Skin Contact: May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual industrial handling. May cause eye irritation. Dust may cause mechanical irritation. Eye Contact: Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects.

**GHS** format



		Blend IIKU	120 (43-00-00) SGN150		
	3	. Composition/Info	ormation on Ingredients		
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration		
57-13-6	Urea		95.5 - 97.0 %		
260255-62-7	Ethene, homopol	ymer, distn. residues	0 - 1.00 %		
101-68-8	Methylenebis(phe	enylisocyanate)	0.592 - 0.612 %		
		4. First A	id Measures		
Emergency a Procedures:					
In Case of Inhalation:		Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.			
In Case of Skin Contact:		Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Wash off with soap and plenty of water.			
In Case of E	ye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed.			
In Case of Ingestion:		Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control center. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.			
Signs and Symptoms Of Exposure:		To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.			
Note to Physician:		Treat symptomatically and supportively.			
		5. Fire Figh	nting Measures		
Flash Pt:		No data.			
Explosive Limits:		LEL: No data.	UEL: No data.		
Autoignition	Pt:	No data.			
Suitable Exti	inguishing Medi	•	emical, carbon dioxide, or water spray. For large fires, use dry alcohol-resistant foam, or water spray.		
Fire Fighting Instructions:		As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Runoff from fire control or dilution water may cause pollution.			
Flammable Properties and Hazards:		Most of the components of this product are non-combustible. However, a portion of them may support combustion at elevated temperatures.			
Hazardous Combustion Thermal decomposition may result in the production of ammon		ay result in the production of ammonia, formaldehyde, biuret,			
Products:		chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus,			
		potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and			
		zinc, and other toxic and irritating fumes and gases.			
		· ·	с с С		



Page: 3 of 7 Printed: 06/12/2023 Revision: 05/06/2022

	6. Accidental Release Measures
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.
	Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
	Environmental precautions. Do not let product enter drains.
	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
	PROCEDURES & PERSONAL PRECAUTIONS. Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.
	Methods for cleaning up. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.
Precautions To Be Taken in Storing:	Provide appropriate exhaust ventilation at places where dust is formed. Store in a cool, dry place. Keep container closed when not in use.
	Evenesure Controls/Devenuel Protection

8. Exposure Controls/Personal Protection					
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
57-13-6	Urea	No data.	No data.	No data.	
260255-62-7	Ethene, homopolymer, distn. residues	No data.	No data.	No data.	
101-68-8	Methylenebis(phenylisocyanate)	CEIL: 0.02 ppm	TLV: 0.005 ppm	No data.	



	Blend TTRU 120 (43-00-00) SGN150			
Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.			
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.			
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.			
Work/Hygienic/Maintenance	Handle in accordance with good industrial hygiene and safety practice. Wash hands			
Practices:	before breaks and at the end of workday. Wash thoroughly after handling.			
	9. Physical and Chemical Properties			
Physical States:	[]Gas []Liquid [X]Solid			
Appearance and Odor:	Multi-colored, granular solid. Slight ammonia-like odor.			
pH:	No data.			
Melting Point:	~ 133 C			
Boiling Point:	No data.			
Flash Pt:	No data.			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available.			
Explosive Limits:	LEL: No data. UEL: No data.			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1):	No data.			
Specific Gravity (Water = 1):	No data.			
Density:	55.000000 LB/CF			
Bulk density:	~ 45 - 65 LB/CF			
Solubility in Water:	~ 1,079 G/L at 20.0 C			
Solubility Notes:	The solubility cited is for the urea component of this product, if present. See section 3.			
Saturated Vapor Concentration:	No data.			
Octanol/Water Partition Coefficient:	No data.			
Autoignition Pt:	No data.			
Decomposition Temperature:	~ 135 C			
Viscosity:	No data.			



		Blend TTRU 120	(43-00-00) S	GN150			
Additional Pl	nysical	The melting point and decompose	sition temperatu	res cited are	for the urea	component of	
Information:		this product, if present. See sec					
		Urea decomposes before boiling 57-13-6)	Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No: 57-13-6)				
Information v primary phys	with regard to sical hazard:						
		10. Stability and	Reactivity	1			
Stability:		Unstable [ ] Stable [ X ]					
Conditions T Instability:	o Avoid -	Incompatible materials, dust ger	Incompatible materials, dust generation, heating to decomposition. High temperatures.				
Incompatibili Avoid:	ty - Materials T	o Strong oxidizing agents, bases,	acids, aluminum	۱.			
		<b>or</b> The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.					
Possibility of Reactions:	Hazardous	Will occur [ ] Will not occur [ X ]					
Conditions T Hazardous R		No data available.					
		11. Toxicological	Informatio	on			
Toxicologica	l Information:	Epidemiology: No information fo Teratogenicity: Teratogenic effe Neurotoxic effects have occurre Reproductive toxicity - no data a Inhalation: May cause damage t	cts have occurre d in experimenta available.	al animals.			
Carcinogenic Information:	city/Other	IARC: No component of this pro identified as probable, possible NTP: No component of this pro identified as a known or anticipa OSHA: No component of this pro identified as a carcinogen or pot	or confirmed hur luct present at le ited carcinogen oduct present at	man carcinog evels greater by NTP. Hevels greate	gen by IARC. than or equa	I to {0.1%} is	
CAS #	Hazardous Cor	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
57-13-6	Urea		n.a.	n.a.	n.a.	n.a.	
260255-62-7	Ethene, homopo	olymer, distn. residues	n.a.	n.a.	n.a.	n.a.	
101-68-8	Methylenebis(pl	nenylisocyanate)	n.a.	3	n.a.	n.a.	



Page: 6 of 7 Printed: 06/12/2023 Revision: 05/06/2022

		12. Ecologio	al Informatic	on		
General Ecole Information:	ogical	Environmental: If released vapor-phase by reaction with hr). If released to soil, urea basis of its use as a fertilize number of variables (such degradation rate.	ith photochemically is hydrolyzed to ar er). The rate of hyd	/ produced hydrox mmonium through lrolysis can be fas	yl radicals (half-life of 9. soil urease activity (the t (24 hr); however, a	
		Do not empty into drains.				
		Urea will dissolve and disp degrade water quality and affect water quality.				
Persistence a Degradability		No data available.				
Bioaccumula	tive Potential:	No data available.				
Mobility in So	oil:	No data available.				
		13. Disposal	Consideratio	ons		
Waste Dispos	sal Method:	If material cannot be completely used according to label directions, dispose of container and contents according to this section.				
		Contact a licensed professional waste disposal service to dispose of this material.				
		Do not let product enter drains.				
		Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.				
		RCRA P-Series: None liste RCRA U-Series: None liste				
		Observe all federal, state, a	and local environm	ental regulations.		
		14. Transpo	ort Informatio	n		
LAND TRANS	SPORT (US DOT					
	er Shipping Nar rd Class:					
		15. Regulato	ory Information	on		
	uperfund Amendr	nents and Reauthorization Ac	t of 1986) Lists			
EPA SARA (Si	Hazardous Con	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
CAS #						
<b>CAS #</b> 57-13-6	Urea		No	No	No	
CAS #	Urea	lymer, distn. residues	No No No	No No Yes NA	No No Yes-Cat. N120	



NUTRIE		<b>Blend TTRU</b>	120 (43-00-00) SGN150
This materia	al meets the EPA		ned for SARA Title III Sections 311/312 as indicated:
[ ] Yes [X] No	Explosive		[X] Yes [] No Acute toxicity (any route of exposure)
		erosols, liquid, or solid)	[] Yes [X] No Skin Corrosion or Irritation
	Oxidizer (liquid, solid	or gas)	[] Yes [X] No Serious eye damage or eye irritation
[] Yes [X] No		8 - 13	[] Yes [X] No Respiratory or Skin Sensitization
	Pyrophoric (liquid or	solid)	[] Yes [X] No Germ cell mutagenicity
			[] Yes [X] No Carcinogenicity
[ ] Yes [X] No [ ] Yes [X] No	Organic peroxide		[ ] Yes [X] No Reproductive toxicity [ ] Yes [X] No Specific target organ toxicity (single or repeated exposure
			[] Yes [X] No Aspiration Hazard
	Gas under pressure	(compressed das)	[] Yes [X] No Simple Asphysiant
[]Yes [X] No		emits flammable gas	[] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)
	Combustible Dust		[][]
		ot Otherwise Classified (HNOC)	
CAS #	Hazardous Con	nponents (Chemical Name)	Other US EPA or State Lists
57-13-6	Urea		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
			Inventory, 8A CAIR, 8C; CA PROP.65: No; MA Oil/HazMat:
			No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
260255-62-7	Ethene, homopo	blymer, distn. residues	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
			PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ
			EHS: No; NY Part 597: No; PA HSL: No
101-68-8	Methylenebis(ph	envlisocvanate)	CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes -
	moury lone bio(pr	iony noocy analoy	Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
			Part 5: Part 5; NJ EHS: Yes - Cat.; NY Part 597: Yes: HS; PA
			HSL: Yes - E
		16 Otho	r Information
Revision Dat	to	05/06/2022	
		03/00/2022	Flammability 📥 Instability
Hazard Rati	ng System:		Flammability
			Health
			<pre>X</pre>
			NFPA: V Special Hazard
		<b>t</b> No data available.	
This Produc	t:		
Company Po	olicy or	Disclaimer and Limitation	of Liability: This data sheet was developed from information on
Disclaimer:	-	the constituent materials	identified herein and does not relate to the use of such
		materials in combination	with any other material or process. No warranty is expressed or
			e completeness or ongoing accuracy of the information
			eet, and Allied Nutrients disclaims all liability for reliance on such
			eet is not a guarantee of safety. Users are responsible for
			Il current information necessary to safely use the product
		• ·	eet for their specific purposes.
		ucounded by this data sh	
1			