

BULK (FG)

Printed: 06/12/2023 Revision: 02/20/2023

Page: 1 of 7

1. Product and Company Identification

**Product Code:** 905031

**Product Name:** TTRU180 STANDARD 43-00-00 SGN 250 BULK (FG)

**Company Name:** Allied Nutrients **Phone Number:** (888)220-0013

50 Pearl Road

STE 200 Brunswick, OH 44212

Web site address: www.alliednutrients.com

**Email address:** regulatory@alliednutrients.com

**Emergency Contact: PERS** (800)633-8253

Information: Allied Nutrients (330)220-0524

Synonyms: Granular Fertilizer

#### 2. Hazards Identification

Acute Toxicity: Oral, Category 4



**GHS Signal Word:** Warning

**GHS Hazard Phrases:** Harmful if swallowed.

> Causes skin irritation. Causes serious eye irritation. May cause repiratory irritation. May cause damage to respiratory system and lungs through prolonged or repeated

exposure.

GHS Precautionary Phrases: Avoid breathing dust.

Wear protective gloves, protective clothing, and eye protection. Call a POISON CENTER or doctor/physician if you feel unwell.

If eye irritation persists, get medical advice/attention. **GHS Response Phrases:** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do so. Continue rinsing.

**GHS Storage and Disposal** 

Phrases:

Store in a diked or contained area to prevent uncontrolled release to the environment.

Store in a closed container.

If material cannot be completely used according to label directions, dispose of container

and contents according to section 13.

Potential Health Effects

(Acute and Chronic):

Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or repeated exposure may cause permanent eye damage. Chronic exposure may cause

lung damage. Effects may be delayed.

Inhalation: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological

> properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

**Skin Contact:** May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual

industrial handling.

May cause eye irritation. Dust may cause mechanical irritation. Eye Contact:

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting

and diarrhea. Low hazard for normal industrial handling. The toxicological properties of

this substance have not been fully investigated. May cause systemic effects.



BULK (FG)

Page: 2 of 7 Printed: 06/12/2023 Revision: 02/20/2023

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
57-13-6	Urea	94.3 %
9016-87-9	Polymeric diphenylmethane diisocyanate	1.57 %
61789-97-7	Tallow	1.49 %
101-68-8	Methylenebis(phenylisocyanate)	1.14 %
111-46-6	Diethylene glycol	1.10 %

#### 4. First Aid Measures

**Emergency and First Aid** 

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty In Case of Skin Contact:

of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops

and persists. Wash clothing before reuse. Wash off with soap and plenty of water.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed.

Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a In Case of Ingestion:

poison control center. If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

**Exposure:** 

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.

#### 5. Fire Fighting Measures

Flash Pt: No data.

LEL: No data. UEL: No data. **Explosive Limits:** 

**Autoignition Pt:** No data.

Suitable Extinguishing Media: For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry

chemical, carbon dioxide, alcohol-resistant foam, or water spray.

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

> MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive

products. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

Most of the components of this product are non-combustible. However, a portion of them

may support combustion at elevated temperatures.

**Hazardous Combustion** 

**Products:** 

Thermal decomposition may result in the production of ammonia, formaldehyde, biuret,

chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus,

potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and

zinc, and other toxic and irritating fumes and gases.



## SAFETY DATA SHEET TTRU180 STANDARD 43-00-00 SGN 250 BULK (FG)

Page: 3 of 7

Printed: 06/12/2023 Revision: 02/20/2023

#### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.

Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions.

Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.

Methods for cleaning up.

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

# 7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.

Provide appropriate exhaust ventilation at places where dust is formed.

Precautions To Be Taken in Storing:

Store in a cool, dry place. Keep container closed when not in use.

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
57-13-6	Urea	No data.	No data.	No data.
9016-87-9	Polymeric diphenylmethane diisocyanate	No data.	No data.	No data.
61789-97-7	Tallow	No data.	No data.	No data.
101-68-8	Methylenebis(phenylisocyanate)	CEIL: 0.02 ppm	No data.	No data.
111-46-6	Diethylene glycol	No data.	No data.	No data.



Printed: 06/12/2023 Revision: 02/20/2023

Page: 4 of 7

**BULK (FG)** 

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Choose body protection

according to the amount and concentration of the dangerous substance at the work

place.

**Engineering Controls** 

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.

#### 9. Physical and Chemical Properties

Physical States: [ ] Gas [ ] Liquid [ X ] Solid

Appearance and Odor: Multi-colored, granular solid.

Slight ammonia-like odor.

pH: No data.

Melting Point: ~ 133 C

Melting Point: ~ 133 C

Boiling Point: No data.

Flash Pt: No data.

**Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water =

1):

No data.

Bulk density: ~ 45 - 65 LB/CF

Solubility in Water: ~ 1,079 G/L at 20.0 C

**Solubility Notes:** The solubility cited is for the urea component of this product, if present. See section 3.

Saturated Vapor

No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data.

Decomposition ~ 135 C

Temperature:

Viscosity:

No data.

Additional Physical The melting point and decomposition temperatures cited are for the urea component of

GHS format



**BULK (FG)** 

**Information:** this product, if present. See section 3.

Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No:

57-13-6)

Information with regard to primary physical hazard:

10. Stability and Reactivity

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid -

Incompatible materials, dust generation, heating to decomposition. High temperatures.

Instability:

Incompatibility - Materials To Strong oxidizing agents, bases, acids, aluminum.

Avoid:

Hazardous Decomposition or The decomposition of fertilizer products may result in the generation of some or all of the

Byproducts:

following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.

Possibility of Hazardous

Reactions:

Will occur [ ] Will not occur [ X ]

Conditions To Avoid -

Hazardous Reactions:

No data available.

#### 11. Toxicological Information

**Toxicological Information:** Epidemiology: No information found.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Neurotoxic effects have occurred in experimental animals.

Reproductive toxicity - no data available.

Inhalation: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity/Other

Information:

IARC: No component of this product present at levels greater than or equal to {0.1%} is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to {0.1%} is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to {0.1%} is

identified as a carcinogen or potential carcinogen by OSHA.

I	CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
I	57-13-6	Urea	n.a.	n.a.	n.a.	n.a.
I	9016-87-9	Polymeric diphenylmethane diisocyanate	n.a.	3	n.a.	n.a.
I	61789-97-7	Tallow	n.a.	n.a.	n.a.	n.a.
I	101-68-8	Methylenebis(phenylisocyanate)	n.a.	3	n.a.	n.a.
l	111-46-6	Diethylene alvcol	n.a.	n.a.	n.a.	n.a.

**GHS** format

Page: 5 of 7
Printed: 06/12/2023
Revision: 02/20/2023



BULK (FG)

Page: 6 of 7 Printed: 06/12/2023 Revision: 02/20/2023

#### 12. Ecological Information

General Ecological Information:

Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.

Do not empty into drains.

Urea will dissolve and disperse in water, and will promote algae growth which may degrade water quality and taste. Notify downstream water users of any release that may

affect water quality.

Persistence and

Degradability:

No data available.

**Bioaccumulative Potential:** No data available. No data available. Mobility in Soil:

#### 13. Disposal Considerations

Waste Disposal Method:

If material cannot be completely used according to label directions, dispose of container

and contents according to this section.

Contact a licensed professional waste disposal service to dispose of this material.

Do not let product enter drains.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations.

## 14. Transport Information

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not Regulated.

**DOT Hazard Class: UN/NA Number:** 

## 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
57-13-6	Urea	No	No	No
9016-87-9	Polymeric diphenylmethane diisocyanate	No	No	Yes-Cat. N120
61789-97-7	Tallow	No	No	No
101-68-8	Methylenebis(phenylisocyanate)	No	Yes NA	Yes-Cat. N120
111-46-6	Diethylene glycol	No	No	No

**GHS** format



BULK (FG)

Page: 7 of 7 Printed: 06/12/2023 Revision: 02/20/2023

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:				
[ ] Yes [X] No	Explosive	[X] Yes [ ] No Acute toxicity (any route of exposure)		
[ ] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[ ] Yes [X] No Skin Corrosion or Irritation		
[ ] Yes [X] No	Oxidizer (liquid, solid or gas)	[ ] Yes [X] No Serious eye damage or eye irritation		
[ ] Yes [X] No	Self-reactive	[ ] Yes [X] No Respiratory or Skin Sensitization		
[ ] Yes [X] No	Pyrophoric (liquid or solid)	[ ] Yes [X] No Germ cell mutagenicity		
[ ] Yes [X] No	Pyrophoric gas	[ ] Yes [X] No Carcinogenicity		
[ ] Yes [X] No	Self-heating	[ ] Yes [X] No Reproductive toxicity		
[ ] Yes [X] No	Organic peroxide	[ ] Yes [X] No Specific target organ toxicity (single or repeated exposure)		
[ ] Yes [X] No	Corrosive to metal	[ ] Yes [X] No Aspiration Hazard		
[ ] Yes [X] No	Gas under pressure (compressed gas)	[ ] Yes [X] No Simple Asphyxiant		
[ ] Yes [X] No	In contact with water emits flammable gas	[ ] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)		
[ ] Yes [X] No	Combustible Dust			
[ ] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)			
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists		
57-13-6	Urea	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -		
		Inventory, 8A CAIR, 8C; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA		
		HSL: No		
9016-87-9	Polymeric diphenylmethane diisocyanate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -		
		Inventory, 8D TERM; CA PROP.65: No; MA Oil/HazMat: No;		
		MI CMR, Part 5: No; NJ EHS: Yes - Cat.; NY Part 597: No;		
		PA HSL: No		
61789-97-7	Tallow	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -		
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,		
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No		
101-68-8	Methylenebis(phenylisocyanate)	CAA HAP,ODC: HAP: VHAP; CWA NPDES: No; TSCA: Yes -		
	, ,	Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,		
		Part 5: Part 5; NJ EHS: Yes - Cat.; NY Part 597: Yes: HS; PA		
		HSL: Yes - E		
111-46-6	Diethylene glycol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -		
111-40-0	Distrigions gryoor	Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,		
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1		

#### 16. Other Information

**Revision Date:** 02/20/2023

**Hazard Rating System:** 

Flammability Instability
Health 1 0
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Allied Nutrients disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.